Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
J. H. Miller
M. F. Moody
K. Simons

VOLUME 152

15 October to 15 November 1981

ACADEMIC PRESS
London New York San Francisco

Copyright © 1981, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 152

NUMBER 1, 15 OCTOBER 1981

BIRD, A. P., TAGGART, M. H. and GEHRING, C. A., Methylated and Unmethylated Ribosomal RNA Genes in the Mouse 1

KROLEWSKI, J. J., MURPHY, E., NOVICK, R. P. and RUSH, M. G., Site-specificity of the Chromosomal Insertion of *Staphylococcus aureus* Transposon Tn*554* 19

PAPADOPOULOS, G. K. and CASSIM, J. Y., Orientations of the Retinyl and the Heme Chromophores in the Brown Membrane of *Halobacterium halobium* 35

COUDRIER, E., REGGIO, H. and LOUVARD, D., Immunolocalization of the 110,000 Molecular Weight Cytoskeletal Protein of Intestinal Microvilli . 49

LOHMAN, T. M. and KOWALCZYKOWSKI, S. C., Kinetics and Mechanism of the Association of the Bacteriophage T4 Gene *32* (Helix Destabilizing) Protein with Single-stranded Nucleic Acids. Evidence for Protein Translocation 67

AMICONI, G., ANTONINI, E., BRUNORI, M., WYMAN, J. and ZOLLA, L., Interaction of Hemoglobin with Salts. Effects on the Functional Properties of Human Hemoglobin 111

HENSLEY, P., YANG, Y. R. and SCHACHMAN, H. K., On the Detection of Homotropic Effects in Enzymes of Low Co-operativity. Application to Modified Aspartate Transcarbamoylase 131

LETTERS TO THE EDITOR

MANDELKERN, M., ELIAS, J. G., EDEN, D. and CROTHERS, D. M., The Dimensions of DNA in Solution 153

HAMILTON, D., YUAN, R. and KIKUCHI, Y., The Nature of the Complexes Formed Between the Int Protein and DNA 163

HENDRIKSSON, D., TAXIS, R. J., TASHIAN, R. E. and NYMAN, P. O., Amino Acid Sequence of the Coat Protein Subunit in Satellite Tobacco Necrosis Virus 171

ERRATUM 181

NUMBER 2, 25 OCTOBER 1981

ENGLER, G., DEPICKER, A., MAENHAUT, R., VILLARROEL, R., VAN MONTAGU, M. and SCHELL, J., Physical Mapping of DNA Base Sequence Homologies between an Octopine and a Nopaline Ti Plasmid of *Agrobacterium tumefaciens* 183

WINSTON, F. and BOTSTEIN, D., Control of Lysogenization by Phage P22. I. The P22 *cro* Gene 209

WINSTON, F. and BOTSTEIN, D., Control of Lysogenization by Phage P22. II. Mutations (*clyA*) in the *c1* Gene that Cause Increased Lysogenization 233

LEE, G. and PERO, J., Conserved Nucleotide Sequences in Temporally Controlled Bacteriophage Promoters 247

OLIVER, D. B., MALAMY, M. H. and GOLDBERG, E. B., Cloned Genes for Bacteriophage T4 Late Functions are Expressed in *Escherichia coli* . 267

ST. JOHN, T. P. and DAVIS, R. W., The Organization and Transcription of the Galactose Gene Cluster of *Saccharomyces* 285

ST. JOHN, T. P., SCHERER, S., MCDONELL, M. W. and DAVIS, R. W., Deletion Analysis of the *Saccharomyces GAL* Gene Cluster. Transcription from Three Promoters 317

ZIVIN, R., ZEHRING, W. and ROTHMAN-DENES, L. B., Transcriptional Map of Bacteriophage N4. Location and Polarity of N4 RNAs 335

WEBSTER, R. E., GRANT, R. A. and HAMILTON, L. A. W., Orientation of the DNA in the Filamentous Bacteriophage f1 357

MANDELKOW, E., STUBBS, G. and WARREN, S., Structures of the Helical Aggregates of Tobacco Mosaic Virus Protein 375

STUBBS, G. and STAUFFACHER, C., Structure of the RNA in Tobacco Mosaic Virus 387

TOKIMATSU, H., STRYCHARZ, W. A. and DAHLBERG, A. E., Gel Electrophoretic Studies on Ribosomal Proteins L7/L12 and the *Escherichia coli* 50 S Subunit 397

VANDEKERCKHOVE, J., FRANKE, W. W. and WEBER, K., Diversity of Expression of Non-muscle Actin in Amphibia 413

OKUYAMA, K., OKUYAMA, K., ARNOTT, S., TAKAYANAGI, M. and KAKUDO, M., Crystal and Molecular Structure of a Collagen-like Polypeptide (Pro-Pro-Gly)$_{10}$ 427

PRIVALOV, P. L., MATEO, P. L., KHECHINASHVILI, N. N., STEPANOV, V. M. and REVINA, L. P., Comparative Thermodynamic Study of Pepsinogen and Pepsin Structure 445

MURTHY, M. R. N., REID, III, T. J., SICIGNANO, A., TANAKA, N. and ROSSMANN, M. G., Structure of Beef Liver Catalase 465

MATSUMOTO, S., MORIKAWA, K. and YANAGIDA, M., Light Microscopic Structure of DNA in Solution Studied by the 4′,6-Diamidino-2-phenylindole Staining Method 501

NUMBER 3, 5 NOVEMBER 1981

STRUHL, K., Deletion, Recombination and Gene Expression Involving the Bacteriophage λ Attachment Site 517

STRUHL, K. and DAVIS, R. W., Transcription of the *his3* Gene Region in *Saccharomyces cerevisiae*. 535

STRUHL, K. and DAVIS, R. W., Promoter Mutants of the Yeast *his3* Gene . 553

STRUHL, K., Position Effects in *Saccharomyces cerevisiae* 569

CHIANCONE, E., VECCHINI, P., VERZILI, D., ASCOLI, F. and ANTONINI, E., Dimeric and Tetrameric Hemoglobins from the Mollusc *Scapharca inaequivalvis*. Structural and Functional Properties 577

BOUTORIN, A. S., CLARK, B. F. C., EBEL, J. P., KRUSE, T. A., PETERSEN, H. U., REMY, P. and VASSILENKO, S., A Study of the Interaction of *Escherichia coli* Elongation Factor-Tu with Aminoacyl-tRNAs by Partial Digestion with Cobra Venom Ribonuclease 593

LETTER TO THE EDITOR

COLMAN, P. M., GOUGH, K. H., LILLEY, G. G., BLAGROVE, R. J., WEBSTER, R. G. and LAVER, W. G., Crystalline Monoclonal Fab Fragment with Specificity Towards an Influenza Virus Neuraminidase . . 609

NUMBER 4, 15 NOVEMBER 1981

BAAS, P. D., TEERTSTRA, W. R., VAN MANSFELD, A. D. M., JANSZ, H. S., VAN DER MAREL, G. A., VEENEMAN, G. H. and VAN BOOM, J. H., Construction of Viable and Lethal Mutations in the Origin of Bacteriophage ϕX174 using Synthetic Oligodeoxyribonucleotides 615

DRIEDONKS, R. A., ENGEL, A., TEN HEGGELER, B. and VAN DRIEL, R., Gene *20* Product of Bacteriophage T4. Its Purification and Structure. . . 641

GREEN, J., GRIFFITHS, G., LOUVARD, D., QUINN, P. and WARREN, G., Passage of Viral Membrane Proteins through the Golgi Complex 663

VASSILENKO, S. K., CARBON, P., EBEL, J. P. and EHRESMANN, C., Topography of 16 S RNA in 30 S Subunits and 70 S Ribosomes Accessibility to Cobra Venom Ribonuclease 699

DREW, H. R. and DICKERSON, R. E., Conformation and Dynamics in a *Z*-DNA Tetramer 723

ARTYMIUK, P. J. and BLAKE, C. C. F., Refinement of Human Lysozyme at 1·5 Å Resolution. Analysis of Non-bonded and Hydrogen-bond Interactions 737

THIEME, R., PAI, E. F., SCHIRMER, R. H. and SCHULZ, G. E., Three-dimensional Structure of Glutathione Reductase at 2 Å Resolution 763

WILLIAMS, R. W. and DUNKER, A. K., Determination of the Secondary Structure of Proteins from the Amide I Band of the Laser Raman Spectrum 783

LETTERS TO THE EDITOR

CROWL, R. M., BOYCE, R. P. and ECHOLS, H., Repressor Cleavage as a Prophage Induction Mechanism: Hypersensitivity of a Mutant λ cI Protein to RecA-mediated Proteolysis 815

TSUKIHARA, T., HOMMA, K., FUKUYAMA, K., KATSUBE, Y., HASE, T., MATSUBARA, H., TANAKA, N. and KAKUDO, M., Preliminary X-ray Diffraction Studies on a [4Fe–4S] Ferredoxin from *Bacillus thermoproteolyticus* 821

Index to Volume 152

Actin, non-muscle, diversity of expression in amphibia, 413
Agrobacterium tumefaciens, physical mapping of DNA base sequence homologies between an octopine and a nopaline Ti plasmid, 183
AMICONI, G., ANTONINI, E., BRUNORI, M., WYMAN, J. & ZOLLA, L., Interaction of hemoglobin with salts. Effects on the functional properties of human hemoglobin, 111
Amide I band of laser Raman spectrum, use in determination of the secondary structure of proteins, 783
Amino acid sequence of the coat protein subunit in satellite tobacco necrosis virus, 171
Aminoacyl-tRNAs, a study of the interaction with *Escherichia coli* elongation factor-Tu by partial digestion with cobra venom ribonuclease, 593
Amphibia, diversity of expression of non-muscle actin, 413
ANTONINI, E. (see also AMICONI, G.), 111
— (see also CHIANCONE, E.', 557
ARNOTT, S. (see also OKUYAMA, K.), 427
ARTYMIUK, P. J. & BLAKE, C. C. F., Refinement of human lysozyme at 1·5 Å resolution. Analysis of non-bonded and hydrogen-bond interactions, 737
ASCOLI, F. (see also CHIANCONE, E.), 577
Aspartate transcarbamoylase, modified, and the detection of homotropic effects in enzymes of low co-operativity, 131
Association of the bacteriophage T4 gene *32* (helix destabilizing) protein with single-stranded nucleic acids, kinetics and mechanism; evidence for protein translocation, 67

BAAS, P. D., TEERTSTRA, W. R., VAN MANSFIELD, A. D. M., JANSZ, H. S., VAN DER MAREL, G. A., VEENEMAN, G. H. & VAN BOOM, J. H., Construction of viable and lethal mutations in the origin of bacteriophage ϕX174 using synthetic oligodeoxyribonucleotides, 615
Bacillus thermoproteolyticus, preliminary X-ray diffraction studies on a [4Fe–4S] ferredoxin, 821
Bacteriophage f1, filamentous, orientation of the DNA, 357
— λ attachment site, and deletion, recombination and gene expression, 517
— N4 transcriptional map; location and polarity of N4 RNAs, 335
— P22 control of lysogenization; mutations (*clyA*) in the *c1* gene that cause increased lysogenization, 233
— P22 control of lysogenization; the P22 *cro* gene, 209
— ϕX174, construction of viable and lethal mutations in the origin region using synthetic oligodeoxyribonucleotides, 615
— promoters, temporally controlled; conserved nucleotide sequences, 247
— T4, cloned genes for late functions are expressed in *Escherichia coli*, 267
— T4 gene *20* product; its purification and structure, 641
— — — *32* (helix destabilizing) protein, kinetics and mechanism of the association with single-stranded nucleic acids; evidence for protein translocation, 67
Beef liver catalase structure, 465
BIRD, A. P., TAGGART, M. H. & GEHRING, C. A., Methylated and unmethylated ribosomal RNA genes in the mouse, 1
BLAGROVE, R. J. (see also COLMAN, P. M.), 609
BLAKE, C. C. F. (see also ARTYMIUK, P. J.), 737
BOTSTEIN, D. (see also WINSTON, F.), 209, 233
BOUTORIN, A. S., CLARK, B. F. C., EBEL, J. P., KRUSE, T. A., PETERSEN, H. U., REMY, P. & VASSILENKO, S., A study of the interaction of *Escherichia coli* elongation factor-Tu with aminoacyl-tRNAs by partial digestion with cobra venom ribonuclease, 593
BOYCE, R. P. (see also CROWL, R. M.), 815
Brown membrane of *Halobacterium halobium*, orientations of the retinyl and the heme chromophores, 35
BRUNORI, M. (see also AMICONI, G.), 111

c1 gene, mutations (*clyA*) that cause increased lysogenization; control of lysogenization by phage P22, 233

Carbon, P. (see also Vassilenko, S. K.), 699
Cassim, J. Y. (see also Papadopoulos, G. K.), 35
Catalase, beef liver; structure, 465
Chiancone, E., Vecchini, P., Verzili, D., Ascoli, F. & Antonini, E., Dimeric and tetrameric hemoglobins from the mollusc *Scapharca inaequivalvis*. Structural and functional properties, 577
Chromophores, retinyl and heme, orientations in the brown membrane of *Halobacterium halobium*, 35
Chromosomal insertion site-specificity of *Staphylococcus aureus* transposon Tn*554*, 19
Clark, B. F. C. (see also Boutorin, A. S.), 593
Cleavage, repressor, as a prophage induction mechanism; hypersensitivity of a mutant λ cI protein to RecA-mediated proteolysis, 815
Cloned genes for bacteriophage T4 late functions are expressed in *Escherichia coli*, 267
clyA mutations in the *cI* gene that cause increased lysogenization; control of lysogenization by phage P22, 233
Coat protein subunit in satellite tobacco necrosis virus, amino acid sequence, 171
Cobra venom ribonuclease accessibility; topography of 16 S RNA in 30 S subunits and 70 S ribosomes, 699
— — — used for partial digestion in a study of the interaction of *Escherichia coli* elongation factor-Tu with aminoacyl-tRNAs, 593
Collagen-like polypeptide $(Pro\text{-}Pro\text{-}Gly)_{10}$, crystal and molecular structure, 427
Colman, P. M., Gough, K. H., Lilley, G. G., Blagrove, R. J., Webster, R. G. & Laver, W. G., Crystalline monoclonal Fab fragment with specificity towards an influenza virus neuraminidase, 609
Complexes formed between the Int protein and DNA, a study of their nature, 163
Conformation and dynamics in a *Z*-DNA tetramer, 723
Construction of viable and lethal mutations in the origin of bacteriophage φX174 using synthetic oligodeoxyribonucleotides, 615
Co-operativity, low, of enzymes, and the detection of homotropic effects; application to modified aspartate transcarbamolyase, 131
Coudrier, E., Reggio, H. & Louvard, D., Immunolocalization of the 110,000 molecular weight cytoskeletal protein of intestinal microvilli, 49
cro gene, P22; control of lysogenization by phage P22, 209
Crothers, D. M. (see also Mandelkern, M.), 153
Crowl, R. M., Boyce, R. P. & Echols, H., Repressor cleavage as a prophage induction mechanism: hypersensitivity of a mutant λ cI protein to recA-mediated proteolysis, 815
Crystal and molecular structure of a collagen-like polypeptide $(Pro\text{-}Pro\text{-}Gly)_{10}$, 427
Crystalline monoclonal Fab fragment with specificity towards an influenza virus neuraminidase, 609
Cytoskeletal protein, 110,000 molecular weight, of intestinal microvilli, immunolocalization, 49

Dahlberg, A. E. (see also Tokimatsu, H.), 397
Davis, R. W. (see also St. John, T. P.), 285, 317
— (see also Struhl, K.), 535, 553
Deletion analysis of the *Saccharomyces GAL* gene cluster; transcription from three promoters, 317
—, recombination and gene expression involving the bacteriophage λ attachment site, 517
DNA and Int protein, the nature of the complexes formed between them, 163
— dimensions in solution, 153
— in solution, light microscopic structure studied by the 4′,6-diamidino-2-phenylindole staining method, 501
— orientation in the filamentous bacteriophage f1, 357
—, physical mapping of base sequence homologies between an octopine and a nopaline Ti plasmid of *Agrobacterium tumefaciens*, 183
Z-DNA tetramer, conformation and dynamics, 723
Depicker, A. (see also Engler, G.), 183
4′,6-diamidino-2-phenylindole staining method, use in study of light microscopic structure of DNA in solution, 501
Dickerson, R. E. (see also Drew, H. R.), 723
Dimensions of DNA in solution, 153
Dimeric and tetrameric hemoglobins from the mollusc *Scapharca inaequivalvis*; structural and functional properties, 577
Drew, H. R. & Dickerson, R. E., Conformation and dynamics in a *Z*-DNA tetramer, 723
Driedonks, R. A., Engel, A., ten Heggeler, B. & van Driel, R., Gene *20* product of bacteriophage T4. Its purification and structure, 641

DUNKER, A. K. (see also WILLIAMS, R. W.), 783
Dynamics and conformation in a *Z*-DNA tetramer, 723

EBEL, J. P. (see also BOUTORIN, A. S.), 593
— (see also VASSILENKO, S. K.), 699
ECHOLS, H. (see also CROWL, R. M.), 815
EDEN, D. (see also MANDELKERN, M.), 153
EHRESMANN, C. (see also VASSILENKO, S. K.), 699
ELIAS, J. G. (see also MANDELKERN, M.), 153
Elongation factor Tu, *Escherichia coli*, a study of its interaction with aminoacyl-tRNAs by partial digestion with cobra venom ribonuclease, 593
ENGEL, A. (see also DRIEDONKS, R. A.), 641
ENGLER, G., DEPICKER, A., MAENHAUT, R., VILLARROEL, R., VAN MONTAGU, M. & SCHELL, J., Physical mapping of DNA base sequence homologies between an octopine and a nopaline Ti plasmid of *Agrobacterium tumefaciens*, 183
Enzymes of low co-operativity, detection of homotropic effects; application to modified aspartate transcarbamoylase, 131
Escherichia coli elongation factor-Tu, a study of its interaction with aminoacyl-tRNAs by partial digestion with cobra venom ribonuclease, 593
— — and the expression of cloned genes for bacteriophage T4 late functions, 267
— — 50 S subunit and ribosomal proteins L7/L12, gel electrophoretic studies, 397
Expression diversity of non-muscle actin in amphibia, 413

f1 (see also Bacteriophage), 357
Fab fragment, monoclonal, crystalline, with specificity towards an influenza virus neuraminidase, 609
[4Fe–4S] ferredoxin from *Bacillus thermoproteilyticus*, preliminary X-ray diffraction studies, 821
Filamentous bacteriophage f1, orientation of the DNA, 357
FRANKE, W.-W. (see also VANDEKERCKHOVE, J.), 413
FUKUYAMA, K. (see also TSUKIHARA, T.), 821

GAL gene cluster, *Saccharomyces*, deletion analysis; transcription from three promoters, 317
Galactose gene cluster of *Saccharomyces*, organization and transcription, 285
GEHRING, C. A. (see also BIRD, A. P.), 1
Gel electrophoretic studies on ribosomal proteins L7/L12 and the *Escherichia coli* 50 S subunit, 397
Gene *c1*, mutations (*clyA*) that cause increased lysogenization; control of lysogenization by phage P22, 233
— cluster, *GAL*, *Saccharomyces*; deletion analysis; transcription from three promoters, 317
— —, galactose, of *Saccharomyces*, organization and transcription, 285
— expression, deletion and recombination involving the bacteriophage λ attachment site, 517
— *20* product of bacteriophage T4; its purification and structure, 641
— *32* (helix destabilizing) protein, T4, kinetics and mechanism of the association with single-stranded nucleic acids; evidence for protein translocation, 67
—, P22 *cro*, and control of lysogenization by phage P22, 209
Genes, cloned, for bacteriophage T4 late functions are expressed in *Escherichia coli*, 267
Glutathione reductase, three-dimensional structure at 2 Å resolution, 763
GOLDBERG, E. B. (see also OLIVER, D. B.), 267
Golgi complex and the passage of viral membrane proteins, 663
GOUGH, K. H. (see also COLMAN, P. M.), 609
GRANT, R. A. (see also WEBSTER, R. E.), 357
GREEN, J., GRIFFITHS, G., LOUVARD, D., QUINN, P. & WARREN, G., Passage of viral membrane proteins through the Golgi complex, 663
GRIFFITHS, G. (see also GREEN, J.), 663

Halobacterium halobium, orientations of the retinyl and the heme chromophores in the brown membrane, 35
HAMILTON, D., YUAN, R. & KIKUCHI, Y., The nature of the complexes formed between the Int protein and DNA, 163
HAMILTON, L. A. W. (see also WEBSTER, R. E.), 357
HASE, T. (see also TSUKIHARA, T.), 821
Helical aggregate structures of tobacco mosaic virus protein, 375
Heme and retinyl chromophores, orientations in the brown membrane of *Halobacterium halobium*, 35

Hemoglobin, interaction with salts; effects on the functional properties of human hemoglobin, 111
Hemoglobins, dimeric and tetrameric, from the mollusc *Scapharca inaequivalis*; structural and functional properties, 577
HENDRIKSSON, D., TAXIS, R. J., TASHIAN, R. E. & NYMAN, P. O., Amino acid sequence of the coat protein subunit in satellite tobacco necrosis virus, 171
HENSLEY, P., YANG, Y. R. & SCHACHMAN, H. K., On the detection of homotropic effects in enzymes of low co-operativity. Application to modified aspartate transcarbamoylase, 131
his3 gene from *Saccharomyces cerevisiae*, promoter mutants, 553
— — region transcription in *Saccharomyces cerevisiae*, 535
HOMMA, K. (see also TSUKIHARA, T.), 821
Homologies: physical mapping of DNA base sequence homologies between an octopine and a nopaline Ti plasmid of *Agrobacterium tumefaciens*, 183
Homotropic effects, detection in enzymes of low co-operativity. Application to modified aspartate transcarbomylase, 131
Human hemoglobin, effects on the functional properties of interaction with salts, 111
— lysozyme, refinement at 1·5 Å resolution; analysis of non-bonded and hydrogen-bond interactions, 737
Hydrogen-bond and non-bonded interactions, analysis of refinement of human lysozyme at 1·5 Å resolution, 737

Immunolocalization of the 110,000 molecular weight cytoskeletal protein of intestinal microvilli, 49
Influenza virus neuraminidase, specificity of a crystalline monoclonal Fab fragment, 609
Int protein and DNA, the nature of the complexes formed between them, 163
Intestinal microvilli, immunolocalization of the 110,000 molecular weight cytoskeletal protein, 49

JANSZ, H. S. (see also BAAS, P. D.), 615

KAKUDO, M. (see also OKUYAMA, K.), 427
— (see also TSUKIHARA, T.), 821
KATSUBE, Y. (see also TSUKIHARA, T.), 821
KHECHINASHVILI, N. N. (see also PRIVALOV, P. L.), 445
KIKUCHI, Y. (see also HAMILTON, D.), 163
Kinetics and mechanism of the association of the bacteriophage T4 gene *32* (helix destabilizing) protein with single-stranded nucleic acids; evidence for protein translocation, 67
KOWALCZYKOWSKI, S. C. (see also LOHMAN, T. M.), 67
KROLEWSKI, J. J., MURPHY, E., NOVICK, R. P. & RUSH, M. G., Site-specificity of the chromosomal insertion of *Staphylococcus aureus* transposon Tn*554*, 19
KRUSE, T. A. (see also BOUTORIN, A. S.), 593

λ (see also Bacteriophage), 517
λ cI protein, hypersensitivity to RecA-mediated proteolysis; repressor cleavage as a prophage induction mechanism, 815
L7/L12 ribosomal proteins and the *Escherichia coli* 50 S subunit, gel electrophoretic studies, 397
Laser Raman spectrum, use of the amide I band in the determination of the secondary structure of proteins, 783
LAVER, W. G. (see also COLMAN, P. M.), 609
LEE, G. & PERO, J., Conserved nucleotide sequences in temporally controlled bacteriophage promoters, 247
Light microscopic structure of DNA in solution studied by the 4′,6-diamidino-2-phenylindole staining method, 501
LILLEY, G. G. (see also COLMAN, P. M.), 609
LOHMAN, T. M. & KOWALCZYKOWSKI, S. C., Kinetics and mechanism of the association of the bacteriophage T4 gene *32* (helix destabilizing) protein with single-stranded nucleic acids. Evidence for protein translocation, 67
LOUVARD, D. (see also COUDRIER, E.), 49
— (see also GREEN, J.), 663
Lysogenization control by phage P22; mutations (*clyA*) in the *c1* gene that cause increased lysogenization, 233
— control by phage P22; the P22 *cro* gene, 209
Lysozyme, human, refinement at 1·5 Å resolution; analysis of non-bonded and hydrogen-bond interactions, 737

McDonell, M. W. (see also St. John, T. P.), 317
Maenhaut, R. (see also Engler, G.), 183
Malamy, M. H. (see also Oliver, D. B.), 267
Mandelkern, M., Elias, J. G., Eden, D. & Crothers, D. M., The dimensions of DNA in solution, 153
Mandelkow, E., Stubbs, G. & Warren, S., Structures of the helical aggregates of tobacco mosaic virus protein, 375
Map, transcriptional, of bacteriophage N4; location and polarity of N4 RNAs, 335
Mapping, physical, of DNA base sequence homologies between an octopine and a nopaline Ti plasmid of *Agrobacterium tumefaciens*, 183
Mateo, P. L. (see also Privalov, P. L.), 445
Matsubara, H. (see also Tsukihara, T.), 821
Matsumoto, S., Morikawa, K. & Yanagida, M., Light microscopic structure of DNA in solution studied by the 4′,6-diamidino-2-phenylindole staining method, 501
Membrane, brown, of *Halobacterium halobium*, orientations of the retinyl and the heme chromophores, 35
— proteins, viral, passage through the Golgi complex, 663
Methylated and unmethylated ribosomal RNA genes in the mouse, 1
Microvilli, intestinal, immunolocalization of the 110,000 molecular weight cytoskeletal protein, 49
Mollusc *Scarpharca inaequivalvis*, structural and functional properties of dimeric and tetrameric hemoglobins, 577
Morikawa, K. (see also Matsumoto, S.), 501
Mouse methylated and unmethylated ribosomal RNA genes, 1
Murphy, E. (see also Krolewski, J. J.), 19
Murthy, M. R. N., Reid, III, T. J., Sicignano, A., Tanaka, N. & Rossmann, M. G., Structure of beef liver catalase, 465
Mutant λ cI protein, hypersensitivity to RecA-mediated proteolysis: repressor cleavage as a prophage induction mechanism, 815
Mutants, promoter, of the yeast *his3* gene, 553
Mutation, viable and lethal, construction in the origin of bacteriophage ϕX174 using synthetic oligodeoxyribonucleotides, 615
Mutations (*cIy-A*) in the *cI* gene that cause increased lysogenization: control of lysogenization by phage P22, 233

N4 (see also Bacteriophage), 335
Nopaline and octopine Ti plasmid of *Agrobacterium tumefaciens*, physical mapping of DNA base sequence homologies, 183
Novick, R. P. (see also Krolewski, J. J.), 19
Nyman, P. O. (see also Hendriksson, D.), 171

Octopine and nopaline Ti plasmid of *Agrobacterium tumefaciens*, physical mapping of DNA base sequence homologies, 183
Okuyama, K., Okuyama, K., Arnott, S., Takayanagi, M. & Kakudo, M., Crystal and molecular structure of a collagen-like polypeptide $(Pro\text{-}Pro\text{-}Gly)_{10}$, 427
— (see also Okuyama, K.), 427
Oligodeoxyribonucleotides, synthetic, use in the construction of viable and lethal mutations in the origin of bacteriophage ϕX174, 615
Oliver, D. B., Malamy, M. H. & Goldberg, E. B., Cloned genes for bacteriophage T4 late functions are expressed in *Escherichia coli*, 267
110,000 molecular weight cytoskeletal protein of intestinal microvilli, immunolocalization, 49
Organization and transcription of the galactose gene cluster of *Saccharomyces*, 285
Orientation of the DNA in the filamentous bacteriophage f1, 357
Orientations of the retinyl and the heme chromophores in the brown membrane of *Halobacterium halobium*, 35
Origin of bacteriophage ϕX174, construction of viable and lethal mutations using synthetic oligodeoxyribonucleotides, 615

P22 (see also Bacteriophage), 209, 233
Pai, E. F. (see also Thieme, R.), 763
Papadopoulos, G. K. & Cassim, J. Y., Orientations of the retinyl and the heme chromophores in the brown membrane of *Halobacterium halobium*, 35
Pepsin and pepsinogen structure, a comparative thermodynamic study, 445

Pepsinogen and pepsin structure, a comparative thermodynamic study, 445
PERO, J. (see also LEE, G.), 247
PETERSEN, H. U. (see also BOUTORIN, A. S.), 593
ϕX174 (see also Bacteriophage), 615
Plasmid, Ti, octopine and nopaline, of *Agrobacterium tumefaciens*, physical mapping of DNA base sequence homologies, 183
Position effects in *Saccharomyces cerevisiae*, 569
PRIVALOV, P. L., MATEO, P. L., KHECHINASHVILI, N. N., STEPANOV, V. M. & REVINA, L. P., Comparative thermodynamic study of pepsinogen and pepsin structure, 445
Prophage, repressor cleavage as an induction mechanism: hypersensitivity of a mutant λ cI protein to RecA-mediated proteolysis, 815
Promoter mutants of the yeast *his3* gene, 553
Promoters, bacteriophage, temporally controlled; conserved nucleotide sequences, 247
$(Pro\text{-}Pro\text{-}Gly)_{10}$, collagen-like polypeptide; crystal and molecular structure, 427
Protein, cytoskeletal, 110,000 molecular weight, of intestinal microvilli, immunolocalization, 49
—, Int, and DNA, the nature of the complexes formed between them, 163
—, mutant λ cI, hypersensitivity to RecA-mediated proteolysis; repressor cleavage as a prophage induction mechanism, 815
— secondary structure, determination from the amide I band of the laser Raman spectrum, 783
—, tobacco mosaic virus, structures of the helical aggregates, 375
— translocation evidence; kinetics and mechanism of the association of the bacteriophage T4 gene *32* (helix destabilizing) protein with single-stranded nucleic acids, 67
Proteins, ribosomal, L7/L12, and the *Escherichia coli* 50 S subunit, gel electrophoretic studies, 397
— of viral membranes, passage through the Golgi complex, 663
Purification and structure of gene *20* product of bacteriophage T4, 641

QUINN, P. (see also GREEN, J.), 663

Raman spectrum, laser, use of the amide I band in the determination of the secondary structure of proteins, 783
RecA-mediated proteolysis, hypersensitivity of a mutant λ cI protein; repressor cleavage as a prophage induction mechanism, 815
Recombination, deletion and gene expression involving the bacteriophage λ attachment site, 517
REGGIO, H. (see also COUDRIER, E.), 49
REID, III, T. J. (see also MURTHY, M. R. N.), 465
REMY, P. (see also BOUTORIN, A. S.), 593
Repressor cleavage as a prophage induction mechanism: hypersensitivity of a mutant λ cI protein to RecA-mediated proteolysis, 815
Retinyl and heme chromophores, orientations in the brown membrane of *Halobacterium halobium*, 35
REVINA, L. P. (see also PRIVALOV, P. L.), 445
RNA genes, ribosomal, methylated and unmethylated, in the mouse, 1
—, N4, location and polarity; transcriptional map of bacteriophage N4, 335
—, 16 S, topography in 30 S subunits and 70 S ribosomes; accessibility to cobra venom ribonuclease, 699
— structure in tobacco mosaic virus, 387
Ribosomal proteins L7/L12 and the *Escherichia coli* 50 S subunit, gel electrophoretic studies, 397
— RNA genes, methylated and unmethylated, in the mouse, 1
ROSSMAN, M. G. (see also MURTHY, M. R. N.), 465
ROTHMAN-DENES, L. B. (see also ZIVIN, R.), 335
RUSH, M. G. (see KROLEWSKI, J. J.), 19

Saccharomyces cerevisiae position effects, 569
— —, promoter mutants of the *his3* gene, 553
— —, transcription of the *his3* gene region, 535
— *GAL* gene cluster, deletion analysis; transcription from three promoters, 317
Salts, interaction with hemoglobin; effects on the functional properties of human hemoglobin, 111
Satellite tobacco necrosis virus, amino acid sequence of the coat protein subunit, 171
Scapharca inaequivalis, mollusc, structural and functional properties of dimeric and tetrameric hemoglobins, 577
SCHACHMANN, H. K. (see also HENSLEY, P.), 131
SCHELL, J. (see also ENGLER, G.), 183

SCHERER, S. (see also ST. JOHN, T. P.), 317
SCHIRMER, R. H. (see also THIEME, R.), 763
SCHULZ, G. E. (see also THIEME, R.), 763
Sequence, amino acid, of the coat protein subunit in satellite tobacco necrosis virus, 171
— homologies, DNA base, between an octopine and a nopaline Ti plasmid of *Agrobacterium tumefaciens*; physical mapping, 183
Sequences, nucleotide, conserved, in temporally controlled bacteriophage promoters, 247
SICIGNANO, A. (see also MURTHY, M. R. N.), 465
Single-stranded nucleic acids, kinetics and mechanism of association with bacteriophage T4 gene *32* (helix destabilizing) protein; evidence for protein translocation, 67
Site-specificity of the chromosomal insertion of *Staphylococcus aureus* transposon Tn*554*, 19
ST. JOHN, T. P., SCHERER, S., MCDONELL, M. W. & DAVIS, R. W., Deletion analysis of the *Saccharomyces GAL* gene cluster. Transcription from three promoters, 317
— & DAVIS, R. W., The organization and transcription of the galactose gene cluster of *Saccharomyces*, 285
Staphylococcus aureus transposon Tn*554*, site-specificity of the chromosomal insertion, 19
STAUFFACHER, C. (see also STUBBS, G.), 387
STEPANOV, V. M. (see also PRIVALOV, P. L.), 445
Structural and functional properties of dimeric and tetrameric hemoglobins from the mollusc *Scarpharca inaequivalvis*, 577
Structure of beef liver catalase, 465
—, crystal and molecular, of a collagen-like polypeptide (Pro-Pro-Gly)$_{10}$, 427
— of pepsinogen and pepsin, a comparative thermodynamic structure, 445
—, light microscopic, of DNA in solution, studied by the 4′,6-diamidino-2-phenylindole staining method, 501
— and purification of gene *20* product of bacteriophage T4, 641
— refinement of human lysozyme at 1·5 Å resolution. Analysis of non-bonded and hydrogen-bond interactions, 737
— of the RNA in tobacco mosaic virus, 387
—, secondary, of proteins, determination from the amide I band of the laser Raman spectrum, 783
—, three-dimensional, of glutathione reductase at 2 Å resolution, 763
Structures of the helical aggregates of tobacco mosaic virus protein, 375
STRUHL, K., Deletion, recombination and gene expression involving the bacteriophage λ attachment site, 517
—, Position effects in *Saccharomyces cerevisiae*, 569
— & DAVIS, R. W., Promoter mutants of the yeast *his3* gene, 553
— & —, Transcription of the *his3* gene region in *Saccharomyces cerevisiae*, 535
STRYCHARZ, W. A. (see also TOKIMATSU, H.), 397
STUBBS, G. & STAUFFACHER, C., Structure of the RNA in tobacco mosaic virus, 387
— (see also MANDELKOW, E.), 375

T4 (see also Bacteriophage), 67, 267, 641
TAGGART, M. H. (see also BIRD, A. P.), 1
TAKAYANAGI, M. (see also OKUYAMA, K.), 427
TANAKA, N. (see also MURTHY, M. R. N.), 465
— (see also TSUKIHARA, T.), 821
TASHIAN, R. E. (see also HENDRIKSSON, D.), 171
TAXIS, R. J. (see also HENDRIKSSON, D.), 171
TEERTSTRA, W. R. (see also BAAS, P. D.), 615
Temporally controlled bacteriophage promoters, conserved nucleotide sequences, 247
TEN HEGGELER, B. (see also DRIEDONKS, R. A.), 641
Tetramer, *Z*-DNA, conformation and dynamics, 723
Tetrameric and dimeric hemoglobins from the mollusc *Scarpharca inaequivalvis*; structural and functional properties, 577
Thermodynamic study, comparative, of pepsinogen and pepsin structure, 445
THIEME, R., PAI, E. F., SCHIRMER, R. H. & SCHULZ, G. E., Three-dimensional structure of glutathione reductase at 2 Å resolution, 763
Ti plasmid, octopine and nopaline, of *Agrobacterium tumefaciens*, physical mapping of DNA base sequence homologies, 183
Tobacco mosaic virus protein, structures of the helical aggregates, 375
— — —, structure of the RNA, 387

Tokimatsu, H., Strycharz, W. A. & Dahlberg, A. E., Gel electrophoretic studies on ribosomal proteins L7/L12 and the *Escherichia coli* 50 S subunit, 397
Topography of 16 S RNA in 30 S subunits and 70 S ribosomes; accessibility to cobra venom ribonuclease, 699
Transcription of the *his3* gene region in *Saccharomyces cerevisiae*, 535
— and organization of the galactose gene cluster of *Saccharomyces*, 285
— from three promoters; deletion analysis of the *Saccharomyces GAL* gene cluster, 317
Transcriptional map of bacteriophage N4; location and polarity of N4 RNAs, 335
Transposon Tn*554* of *Staphylococcus aureus*, site-specificity of the chromosomal insertion, 19
Tsukihara, T., Homma, K., Fukuyama, K., Katsube, Y., Hase, T., Matsubara, H., Tanaka, N. & Kakudo, M., Preliminary X-ray diffraction studies on a [4Fe–4S] ferredoxin from *Bacillus thermoproteolyticus*, 821
Tu elongation factor, *Escherichia coli*, a study of its interaction with aminoacyl-tRNAs by partial digestion with cobra venom ribonuclease, 593

van Boom, J. H. (see also Baas, P. D.), 615
van der Marel, G. A. (see also Baas, P. D.), 615
van Driel, R. (see also Driedonks, R. A.), 641
van Mansfield, A. D. M. (see also Baas, P. D.), 615
van Montagu, M. (see also Engler, G.), 183
Vandekerckhove, J., Franke, W. W. & Weber, K., Diversity of expression of non-muscle actin in amphibia, 413
Vassilenko, S. K., Carbon, P., Ebel, J. P. & Ehresmann, C., Topography of 16 S RNA in 30 S subunits and 70 S ribosomes; accessibility to cobra venom ribonuclease, 699
Vassilenko, S. (see also Boutorin, A. S.), 593
Vecchini, P. (see also Chiancone, E.), 577
Veeneman, G. H. (see also Baas, P. D.), 615
Villarroel, R. (see also Engler, G.), 183
Viral membrane proteins, passage through the Golgi complex, 663
Virus, influenza, neuraminidase, specificity of a crystalline monoclonal Fab fragment, 609
—, satellite tobacco necrosis, amino acid sequence of the coat protein subunit, 171
—, tobacco mosaic, structure of the RNA, 387
—, — —, structures of the protein helical aggregates, 375

Warren, G. (see also Green, J.), 663
Warren, S. (see also Mandelkow, E.), 375
Weber, K. (see also Vandekerckhove, J.), 413
Webster, R. E., Grant, R. A. & Hamilton, L. A. W., Orientation of the DNA in the filamentous bacteriophage f1, 357
Webster, R. J. (see also Colman, P. M.), 609
Williams, R. W. & Dunker, A. K., Determination of the secondary structure of proteins from the amide I band of the laser Raman spectrum, 783
Winston, F. & Botstein, D., Control of lysogenization by phage P22. I. The P22 *cro* gene, 209
— & —, — — — — — — —. II. Mutations (*clyA*) in the *c1* gene that cause increased lysogenization, 233
Wyman, J. (see also Amiconi, G.), 111

X-ray diffraction studies, preliminary, on a [4Fe–4S] ferredoxin from *Bacillus thermoproteolyticus*, 821

Yang, Y. R. (see also Hensley, P.), 131
Yeast *his3* gene, promoter mutants, 553
Yuan, R. (see also Hamilton, D.), 163

Z-DNA tetramer, conformation and dynamics, 723
Zehring, W. (see also Zivin, R.), 335
Zivin, R., Zehring, W. & Rothman-Denes, L. B., Transcriptional map of bacteriophage N4. Location and polarity of N4 RNAs, 335
Zolla, L. (see also Amiconi, G.), 111